




PROFILI




A lati uguali




Dimensioni b x h	Spessore mm			
	1,5	2	3	4
	Kg/m			
10 x 10	0,20			
15 x 15	0,35	0,40		
20 x 20	0,43	0,56		
25 x 25	0,55	0,72	1,08	
30 x 30	0,67	0,88	1,25	
35 x 35		1,03	1,53	
40 x 40		1,20	1,75	
45 x 45		1,35	2,00	2,63
50 x 50		1,51	2,20	2,95
60 x 60		1,82	2,70	3,50
70 x 70		2,14	3,15	4,15
80 x 80		2,45	3,65	4,76
90 x 90		2,76	4,12	5,46
100 x 100		3,08	4,60	6,00

A lati disuguali




Dimensioni h x b	Spessore mm			
	1,5	2	3	4
	Kg/m			
20 x 10	0,33			
25 x 12	0,42	0,55		
25 x 15	0,48			
30 x 15	0,50	0,66	0,99	
30 x 20	0,55	0,75	1,10	
30 x 25		0,85		
35 x 20		0,83	1,22	
40 x 20	0,67	0,94	1,34	
40 x 30		1,06	1,56	
45 x 20	0,72	0,99	1,46	
45 x 30		1,11	1,70	
50 x 20	0,79	1,06	1,56	
50 x 30		1,22	1,81	
60 x 30		1,35	2,04	3,20
60 x 40		1,51	2,28	3,01
80 x 40		1,82	2,75	3,64
100 x 50		2,22	3,45	4,46

PROFILI RICAIVATI DA LAMIERA A **C** (NERI)




Dimensioni			Spessore mm		
			1,5	2	3
h	b	c	Kg/m		
30	15	10	0,96		
30	30	10	1,22	1,60	2,38
40	20	10	1,11	1,33	
40	40	10	1,58	2,07	
40	40	15		2,23	3,25
50	30	15	1,58	2,07	
60	40	15		2,35	
60	40	20		2,70	3,96
80	40	20		3,01	4,43
100	50	25		3,80	5,14
120	60	30			6,55

PROFILI RICAIVATI DA LAMIERA A **U** LATI UGUALI (NERI E ZINCATI)




Dimensioni b x h	Spessore mm		
	1,5	2	3
	Kg/m		
10 x 10	0,25		
15 x 15	0,44	0,60	
20 x 20	0,65	0,85	
25 x 25	0,83	1,07	1,53
30 x 30	1,00	1,31	1,89
35 x 35	1,20	1,56	2,25
40 x 40		1,79	2,61
45 x 45		2,02	2,96
50 x 50		2,26	3,32
60 x 60		2,70	4,05
70 x 70			4,80

PROFILI RICAVATI DA LAMIERA A U ALI UGUALI (NERI E ZINCATI)




Dimensioni h x b x h	Spessore mm			
	1,5	2	3	4
	Kg/m			
15 x 8 x 15	0,35	0,52		
20 x 10 x 20	0,45	0,54		
30 x 10 x 30	0,84			
10 x 20 x 10	0,38			
40 x 25 x 40	1,18	1,48	2,24	
15 x 30 x 15	0,64	0,78		
20 x 30 x 20	0,73	0,93	1,27	
20 x 40 x 20	0,89	1,09	1,51	
30 x 40 x 30	1,12	1,40	1,98	
20 x 50 x 20	1,00	1,25	1,96	
25 x 50 x 25		1,40	2,14	
30 x 50 x 30		1,56	2,22	3,18
40 x 50 x 40		1,94	2,69	3,70
30 x 60 x 30		1,72	2,45	3,39
40 x 60 x 40		2,10	2,92	4,01
35 x 70 x 35		2,10	2,92	4,01
40 x 80 x 40		2,41	3,39	4,73
50 x 80 x 50		2,73	4,02	4,73
50 x 100 x 50		3,04	4,34	5,61
60 x 120 x 60			5,28	7,15
60 x 140 x 60			5,91	7,50
60 x 160 x 60			6,80	
65 x 160 x 65			6,55	8,44
60 x 180 x 60			7,02	8,75
65 x 200 x 65				9,80
60 x 240 x 60				13,40

FERMAVETRO A SCATTO (NERI E ZINCATI)




kg/m 0,20




kg/m 0,23

OMEGA SIMMETRICI (NERI E ZINCATI)




Dimensioni			Spessore			
			2	2,5	3	4
h	b	c	Kg/m			
40	30	25	2,26			
50	30	20	2,34	3,14	3,63	
60	40	25	3,17	3,92	4,20	
80	40	25	3,80	4,71	5,14	
100	50	30	4,74	5,88	6,84	
120	60	30	5,50	6,86	8,20	10,92
150	80	40	7,10	8,80	10,49	
180	80	40			11,20	

MONOROTAIE (NERI E ZINCATI)




Tipo A 30/10 kg/m 5,00

GRANDE (MR1)



Tipo B 25/10 kg/m 3,18

MEDIA (MR2)



Tipo C 20/10 kg/m 1,77


PICCOLA (MR3)

SONO DISPONIBILI ANCHE I CARRELLI A 2 ED A 4 RUOTE

GUIDA INFERIORE PER CANCELLI SCORREVOLI ZINCATI

BINARIO ZINCATO DA CEMENTARE/T/PESANTE H50MM

∅	L	sp.	fori
∅20	6000	4 mm	nr. 12+12



BINARIO ZINCATO DA TASSELLARE H16MM

∅	L	H	sp.	fori
∅20	6000	16	3 mm	nr. 17+17

